

Washington State Hospital Association Patient Safety Measure Crosswalk
Includes National and Washington State Measures

Last updated: September 9, 2010

Email CarolW@wsa.org with questions or comments



<i>Organization</i>	<i>Website</i>	<i>Number of fields to be Abstracted</i>	<i>Transmission</i>	<i>Version Used</i>	<i>Comments</i>
CMS (Centers for Medicare and Medicaid Services)	http://tinyurl.com/2f7ubr		Quarterly	Version 3.1	
Acute Myocardial Infarction		64			
Heart Failure		39			
Pneumonia		52			
Surgical Infection Prevention		60			
HCAHPS (Hospital Consumer Assessment of Healthcare Providers and Systems (CMS and Joint Commission))	http://tinyurl.com/kvgf4d	27 completed patient	Discharges		
PQRI (Physician Quality Reporting Initiative)	http://www.cms.hhs.gov/pgri/	Uses CTP Category IIs and G codes	For physicians	2010 Version	This is currently voluntary for physicians. Measures only listed if related to hospital measures (Launched in 2006 as PVRP)
DOH (Department of Health mandatory adverse event reporting)	http://tinyurl.com/m7xfbc	varies	As Event Occurs	2009 Version	Washington State Only
Joint Commission	http://tinyurl.com/2f7ubr		Quarterly	Version 3.1	
Acute Myocardial Infarction		64			
Heart Failure		39			
Pneumonia		52			
Pregnancy		26			
Inpatient Psychiatric		35			
Surgical Infection Prevention		60			
Leapfrog	http://www.leapfroggroup.org	212	Annually (can update monthly)	2009 Release	Voluntary
COAP (Clinical Outcomes Assessment Program)	http://www.coap.org/	18	Quarterly	2008 Version	Washington State Only/Mandatory for contracts with state employees


Washington State Hospital Association Patient Safety Measure Crosswalk
Includes National and Washington State Measures

Last updated: September 9, 2010

Email CarolW@wsaha.org with questions or comments



<i>Organization</i>	<i>Website</i>	<i>Number of fields to be Abstracted</i>	<i>Transmission</i>	<i>Version Used</i>	<i>Comments</i>
SCOAP (Surgical Clinical Outcomes Assessment Program)	http://www.scoap.com/	178	Quarterly	2009 Version	Washington State Only/Mandatory for contracts with state employees
AHRQ (Agency for Healthcare Research and Quality)	http://tinyurl.com/kq79v6	No additional data collection	Can be run for any period of time	2007 Version	Administrative data used
ACC-NCDR (American College of Cardiology National Cardiovascular Data Registry Cath Lab) Cath PCI Registry ICD Registry Carotid Stent Registry	http://tinyurl.com/lq5672	191 unknown unknown	Quarterly	2005 Version 2005 Version 2005 Version 2005 Version	National standard from professional society National standard New in 2005 Starting fall 2005
STS (Society of Thoracic Surgeons)	http://www.sts.org/	222	Semiannually	2009 Version	National standard from professional society (In some states, payors require for contract)
PSHA (Puget Sound Health Alliance)	http://www.pugetsoundhealthalliance.org/	No additional data collection	No submission	2010 Version	Washington State Only
GWTG (Get With the Guidelines: American Heart Association)	http://www.americanheart.org	62	Quarterly	February 2009	National standard from professional society.

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
Acute Myocardial Infarction (AMI)	Aspirin at Arrival	√	√		√		√	√						√	√
	Aspirin Prescribed at Discharge	√					√	√						√	√
	ACE-Inhibitor or Angiotensin Receptor Blockers (ARB) for Left Ventricular Systolic Dysfunction (LVSD)	√			√		√	√						√	√
	ACE-Inhibitor at Discharge (all patients)														√
	Adult Smoking Cessation Advice/Counseling	√					√	√					√	√	√
	Beta Blockers Prescribed at Discharge	√			√		√	√						√	√
	Beta Blocker at Arrival				√									√	√
	Thrombolytic Agent Received Within 30 Minutes of Hospital Arrival	√	√				√	√						√	√
	Median Time to Fibrinolysis	√	√				√								√
	Median Time to Percutaneous Coronary Intervention	√					√								√

Washington State Hospital Association Patient Safety Measure Crosswalk

Includes National and Washington State Measures


Last updated: September 9, 2010





Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".


Email CarolW@wsha.org with questions or comments


Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Percutaneous Coronary Intervention Received Within 120 Minutes of Hospital Arrival							√				√			
	Percutaneous Coronary Intervention Received Within 90 Minutes of Hospital Arrival	√					√	√						√	√
	Median Time to Transfer to Another Facility for Acute Coronary Intervention		√												
	Median Time to ECG		√												
	Inpatient Mortality						√				√				√
	AMI 30-Day Mortality Rate	√												√	
	AMI 30-Day Readmission Rate	√													
	Inpatient Mortality Including Transfers										√				
	LDL Cholesterol Assessment	CMS test													√
	Lipid Lowering Therapy at Discharge (LDL _≥ 130 patients)	CMS test													


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Lipid lowering Therapy at Discharge (LDL \geq 100 Patients)														√
	Lipid Lowering Therapy at Discharge (all pts)														√
	Rehab Referral or Physical Activity Recommendations														√
	Anti-Platelet (Clopidogrel) at Discharge												√		√
	AMI Average Length of Stay							√							
	AMI 14-Day Readmission Rate							√							
	% of Diabetic Patients and Newly Diagnosed Diabetic Patients Who Received Diabetic Treatment at Discharge														√
	% of Diabetic Patients and Newly Diagnosed Diabetic Patients Who Received Diabetic Teaching at Discharge														√


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
Email CarolW@wsha.org with questions or comments															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Number of Patients Age >=55, with Cancer, Chronic Renal Disease, Chronic Liver Disease, PCI, CABG, Stroke, TIA or Congestive Heart Failure							√							
Percutaneous Coronary Intervention (PCI)	Observed PCI Mortality Rate							√	√		√	√			
Measures for Diagnostic Cath Included	PCI Mortality Rate (with and without MI)											√			
	Aspirin Prescribed at Discharge							√							√
	Proportion of Patients Receiving PCI Within 90 Minutes							√							√
	Use of Clopidogrel											√			
	PCI Risk Adjusted Mortality Rate										√	√			
	Total Admissions											√			
	PCI Volume							√			√	√			
	Participation in ACC-NCDR							√							


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Volume Dx Cath With and Without PCI, All PCI (displayed with various combinations of procedures and surgeries including CABG)											√			
	Patient Demographics Dx Cath With and Without PCI, All PCI (gender, age groups, Medicare age, gender/age frequency, race)											√			
	Patient Admission and Discharge Status Dx Cath With and Without PCI, All PCI (admission status, insurance, admission with CABG, discharge status, primary cause of death, overall mortality)											√			
	Ejection Fraction Dx Cath With and Without PCI, All PCI											√			


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPSS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	MI this Admission Dx Cath With and Without PCI, All PCI											√			
	Risk Factors Dx Cath with and without PCI, All PCI (admission with Cath lab visit in same admission, weight in kg, family history of coronary artery disease, CHF diabetes, renal failure, dialysis, chronic lung disease, cerebrovascular disease, peripheral vascular disease, pervious MI, hypertension, smoking history, hypercholesterol with type of treatments)											√			


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Previous Intervention for Dx Cath With and Without PCI, All PCI (previous admission with cath lab visit, previous CABG, previous valve surgery, previous PCI)											√			
	Cardiac Status for Dx Cath With and Without PCI, All PCI patient admission with Cath lab visit, congestive heart failure prior to procedure, non-intensive test - ischemia, angina type, ACS time period, CCS											√			


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPSS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Procedure Details (Status all procedures, RHC, LHC, Bilateral, elective, urgent, emergent, salvage), (Indications, Cardiogenic Shock, Valve/Heart Disease, Arrhythmia, Ischemic Heart Disease, Positive Function Test, Heart Disease of Other Etiology), (Fluoroscopy Time in Minutes), (IIB/IIIA Blockade), (IABP), (LVGram), LV Wall Motion), (Ejection Fraction), (Ejection Fraction testing), (Percutaneous Entry with Type of Closure)											√			


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Findings (findings dominance, Stenosis, diseased vessels, pulmonary hypertension, Mitral valve disease, tricuspid valve disease, aortic valve disease, pulmonic valve disease)											√			
	Adverse Outcome (Periprocedural MI, Cardiogenic Shock, Arrhythmia, CVA/Stroke, Tamponade, Vascular Complications Bleeding, Occlusion, Loss of Distal Pulse, Vascular Dissection, Contrast Reaction, Emergency PCI, Death During Lab Visit) (Pseudoaneurysm, AV Fistula, Congestive Heart Failure, Renal Failure, Death After Lab Visit, Unplanned CABG)								√			√			


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
Email CarolW@wsha.org with questions or comments															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Adverse Outcome (Non-primary PCI)								√						
	Total Lesions Attempted During PCI (min, max, mean, std. dev)											√			
	ACC/AHA Appropriateness Review														
	Post-Operative Myocardial Infarction											√			
	Emergency Room to Dilatation Time (STEMI)								√			√			
	Excellent Lesion Results								√			√			
	Post-Operative Unplanned CABG											√			
	Post-Operative Surgery for Other PCI Complications											√			
	Post-Operative Tamponade											√			
	Occlusion of a Treated Lesion											√			
	Unsuccessful Procedure														
	Average # Stents per Patient											√			


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Procedure Success Rate											√			
	Post-Operative Carcinogenic Shock											√			
	Post-Operative Vascular Complications											√			
	Angiographic Luminal Success											√			
	Post-Operative Arrhythmia											√			
	Post-Operative Dialysis (New Renal Failure)											√			
	Post-Operative Stroke (CVA)											√			
	Return to Operating Room											√			
	Return to Cath Lab											√			


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Lesion Details (Guidewire, % Pre-Stenosis, % Post-Stenosis, Pre-Procedure TIMI Flow, Post-Procedure TIMI Flow, Previously Detailed Lesion, Intracoronary Device Usage, Primary Coronary Device Usage, Intra Coronary dissection, Acute Closure, Perforation)											√			
	Total Length of Stay for (all PCI patients, STEMI, without STEMI, with and without CABG)							√				√			
	Extended Length of Stay (Primary PCI > 5 Days, Non-Primary PCI > 2 Days)								√			√			
	PCI Within 90 or 120 Minutes Under AMI											√			
	PCI 14-Day Readmission Rate							√							

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Number of Patients with Previous Cancer, Chronic Renal Disease, Chronic Liver Disease, COPD, CABG, AMI or Congestive Heart Failure							√							
Abdominal Aortic Aneurysm (AAA) Repair	AAA Volume							√			√			√	
	AAA Mortality Rate	√					√				√				
	Perioperative beta blocker for patients on beta blockers prior to admission							√						√	
	Beta-blockers prescribed at discharge							√						√	
Pancreatic Resection	Pancreatic Resection Volume							√			√			√	
	Pancreatic Resection Mortality Rate										√				
Esophagectomy	Esophagectomy Volume							√			√			√	
	Esophagectomy Mortality Rate										√				

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
Heart Failure (HF)	Discharge Instructions	√					√							√	√
	Evaluation of LVS Function	√			√		√							√	√
	ACE-Inhibitor or Angiotensin Receptor Blockers (ARB) for Left Ventricular Systolic Dysfunction (LVSD)	√			√		√							√	√
	Adult Smoking Cessation Advice/Counseling	√					√						√	√	√
	Aspirin at Discharge														√
	Anti-Platelet (Clopidogrel) at discharge				√										√
	Warfarin Therapy in Heart Failure Patient With Atrial Fibrillation														√
	Beta blockers Prescribed at Discharge				√										√
% of Patients with LCSD with no Contraindications Who Were Prescribed Aldosterone Agonist at Discharge														√	

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	CRT-D, CRT-P placed or referred at discharge														√
	Statins or Lipid Lowering Drugs for LDL ≥ 100 Patients														√
	Statins or Lipid Lowering Drugs for all Patients														√
	% of Patients who are Non-Ambulatory who Receive DVT Prophylaxis by end of Hospital Day 2														√
	% of Patients who were Prescribed with Evidence-Based Specific Beta Blockers														√
	% of Black Patients with LVSD who were Prescribed a Combination of Hydralazine and Isosorbide Dinitrate at Discharge														√

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	% of Patient with LVEF <= 35% who have had ICD Placed or were Referred														v
	Influenza Immunization														√
	Pneumococcal Immunization														√
	Heart Failure Mortality										√				
	Heart Failure 30-Day Mortality Rate	√													
	Heart Failure 30-Day Readmission Rate	√												√	
Pneumonia	Oxygenation Assessment				√									√	
	Pneumococcal Vaccination	√			√		√	√						√	
	Blood Culture Within 24 Hours Prior to or 24 Hours After Arrival for Patients Who Were Transferred or Admitted to the ICU Within 24 Hours of Hospital Arrival	√					√	√							

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPSS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Blood Culture Performed in the Emergency Department Prior to Initial Antibiotic Received in Hospital	√					√							√	
	Adult Smoking Cessation Advice/Counseling	√					√	√						√	
	Antibiotic Timing (Median)						√								
	Initial Antibiotic Received Within 8 hrs of Hospital Arrival						√								
	Initial Antibiotic Received Within 6 hrs of Hospital Arrival	√					√	√						√	
	Initial Antibiotic Received Within 4 hrs of Hospital Arrival														
	Initial Antibiotic Selection for Community-Acquired Pneumonia (CAP) in Immunocompetent Patients	√			√										

Washington State Hospital Association Patient Safety Measure Crosswalk

Includes National and Washington State Measures


Last updated: September 9, 2010





Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".


Email CarolW@wsha.org with questions or comments


Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Initial Antibiotic Selection for Pneumonia in Immunocompetent- ICU Patient						√							√	
	Initial Antibiotic Selection for Pneumonia Immunocompetent- Non ICU Patient						√							√	
	Mental Status for Community-Acquired Bacterial Pneumonia				√										
	Vital Signs for Community-Acquired Bacterial Pneumonia				√										
	Influenza Vaccination	√			√		√	√						√	
	Inpatient Mortality Pneumonia Mortality										√				
	Pneumonia 30-Day Mortality Rate	√													
	Pneumonia 30-Day Readmission Rate	√													
	Pneumonia Average Length of Stay							√							
	Pneumonia 14-Day Readmission							√							


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
Email CarolW@wsha.org with questions or comments															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPSS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	# of Patients with Age>=55, with Cirrhosis or Chronic Hepatitis, Stroke, TIA, CHF, Kidney Disease, COPD, Pleural Effusion, Septicemia or Respiratory Failure							√							
	# of Bacterial Pneumonia Admissions														
Surgical Infection Prevention	SCIP-Inf-1a: Prophylactic Antibiotic Received Within One Hour Prior to Surgical Incision - Overall Rate	√	√		√		√				√			√	
	SCIP-Inf-2a: Prophylactic Antibiotic Selection for Surgical Patients - Overall Rate	√	√		√		√							√	
	SCIP-Inf -3a: Prophylactic Antibiotics Discontinued Within 24 Hours After Surgery Time - Overall Rate	√			√		√				√			√	


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPSS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	SCIP Cardiovascular 2: Surgical Patients on Beta Blocker Therapy Prior to Admission Who Received a Beta Blocker During the Perioperative Period	√					√			√					
	SCIP-Inf-4: Cardiac Surgery Patients With Controlled 6 A.M. Postoperative Serum Glucose	√					√								
	Wound Opened &/or Antibiotic for Infection									√					
	SCIP-Inf- 6: Appropriate Hair Removal	√					√								
	SCIP-Inf 7 Colorectal Surgical Patients With Immediate Postoperative Normothermia									√					

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	SCIP-Inf 9: Urinary catheter removed on Postoperative Day 1 (POD 1) or Postoperative Day 2 (POD 2) with day of surgery being day zero	√					√								
	SCIP-Inf 10: Surgery Patients with Perioperative Temperature Management	√			√		√								
	SCIP-Inf-1b: Prophylactic Antibiotic Received Within One Hour Prior to Surgical Incision - CABG						√	√							
	SCIP-Inf-1c: Prophylactic Antibiotic Received Within One Hour Prior to Surgical Incision - Other Cardiac Surgery						√						√		

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	SCIP-Inf-1d: Prophylactic Antibiotic Received Within One Hour Prior to Surgical Incision - Hip Arthroplasty						√								
	SCIP-Inf-1e: Prophylactic Antibiotic Received Within One Hour Prior to Surgical Incision - Knee Arthroplasty						√								
	SCIP-Inf-1f: Prophylactic Antibiotic Received Within One Hour Prior to Surgical Incision - Colon Surgery						√								
	SCIP-Inf-1g: Prophylactic Antibiotic Received Within One Hour Prior to Surgical Incision - Hysterectomy						√								

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	SCIP-Inf-1h: Prophylactic Antibiotic Received Within One Hour Prior to Surgical Incision - Vascular Surgery						√								
	SCIP-Inf-2b: Prophylactic Antibiotic Selection for Surgical Patients - CABG						√								
	SCIP-Inf-2c: Prophylactic Antibiotic Selection for Surgical Patients - Other Cardiac Surgery						√						√		
	SCIP-Inf-2d: Prophylactic Antibiotic Selection for Surgical Patients - Hip Arthroplasty						√								
	SCIP-Inf-2e: Prophylactic Antibiotic Selection for Surgical Patients - Knee Arthroplasty						√								

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	SCIP-Inf-2f: Prophylactic Antibiotic Selection for Surgical Patients - Colon Surgery						√								
	SCIP-Inf-2g: Prophylactic Antibiotic Selection for Surgical Patients - Hysterectomy						√								
	SCIP-Inf-2h: Prophylactic Antibiotic Selection for Surgical Patients - Vascular Surgery						√								
	SCIP-Inf -3b: Prophylactic Antibiotics Discontinued Within 24 Hours After Surgery Time - CABG						√								
	SCIP-Inf -3c: Prophylactic Antibiotics Discontinued Within 48 Hours After Surgery Time - Other Cardiac Surgery				√		√	√							

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	SCIP-Inf -3d: Prophylactic Antibiotics Discontinued Within 24 Hours After Surgery Time - Hip Arthroplasty						√								
	SCIP-Inf -3e: Prophylactic Antibiotics Discontinued Within 24 Hours After Surgery Time - Knee Arthroplasty						√								
	SCIP-Inf -3f: Prophylactic Antibiotics Discontinued Within 24 Hours After Surgery Time - Colon Surgery						√			√					
	SCIP-Inf -3g: Prophylactic Antibiotics Discontinued Within 24 Hours After Surgery Time - Hysterectomy						√								
	SCIP-Inf -3h: Prophylactic Antibiotics Discontinued Within 24 Hours After Surgery Time - Vascular Surgery						√								

Washington State Hospital Association Patient Safety Measure Crosswalk

Includes National and Washington State Measures

Last updated: September 9, 2010



Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".

Email CarolW@wsha.org with questions or comments

Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	SCIP-VTE 1: Venous Thromboembolism (VTE) Prophylaxis Ordered for Surgery Patient	√			√		√					√		√	
	Any Peri-op VTE Prophylaxis														
	SCIP-VTE 2: Appropriate Venous Thromboembolism Prophylaxis Within 24 Hours Pre/Post Surgery	√			√		√					√		√	
	Post-Operative Sepsis										√				
	Prevent Surgical Site Infections by Implementing Four Components of Care							√							
	SCIP-VTE 3: Intra and Post-Operative Pulmonary Embolism											√			
	Surgical Site Infection Rate														
Pregnancy	Vaginal Birth After Cesarean (VBAC Rate)-All						√				√				
	Inpatient Neonatal Mortality						√								

Washington State Hospital Association Patient Safety Measure Crosswalk

Includes National and Washington State Measures


Last updated: September 9, 2010





Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".


Email CarolW@wsha.org with questions or comments

Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Third or Fourth Degree Laceration						√								
	Primary Cesarean Section Delivery Rate										√				
	Cesarean Delivery Rate						√				√				
	OB Trauma - Vaginal With Instrument										√				
	OB Trauma - Vaginal Without Instrument										√				
	OB Trauma - Cesarean										√				
	Birth Trauma										√				
	Discharge and Average Length of Stay - Maternity Care														
	Births and Average Length of Stay, Newborns														
	Neonatal Immunization														
	# of Very Low Birth Weight Babies							√						√	
	Average Daily Census in Neonatal Unit							√						√	√
	Late Sepsis or Meningitis in Neonates														

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Late Sepsis or Meningitis in Very Low Birth Weight Neonates														
	Elective Delivery Prior to 39 Completed Weeks Gestation						√	√						√	
	Incidence of Episiotomy														
	Prophylactic Antibiotic in C-Section														
	Appropriate DVT Prophylaxis in Women Undergoing Cesarean Delivery							√						√	
	Hepatitis B Vaccine Administration to All Newborns Prior to Discharge														
	Appropriate Use of Antenatal Steroids						√								
	Infants Under 1500g Delivered at Appropriate Site														
	Nosocomial Blood Stream Infections In Neonates														

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Birth Dose of Hepatitis B Vaccine and Hepatitis Immune Globulin for Newborns of Mothers with Chronic Hepatitis														
	Staphylococcal and gram negative septicemias or bacteremias in high-risk newborns						√								
	Exclusive breast milk feeding during the newborn's entire hospitalization						√								
	Bilirubin Screening for Newborns Before Discharge							√						√	
Intensive Care Unit (ICU)	Ventilator Associated Pneumonia Prevention – Patient Positioning						√								
	Ventilator Associated Pneumonia														
	Ventilator Bundle Compliance														
	Central Line Bundle Compliance														

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Stress Ulcer Disease Prophylaxis						√								
	Deep Vein Thrombosis Prophylaxis						√			√			√		
	Central Line Associated Blood Stream Infection						√	√							
	Urinary Catheter-Associated Urinary Tract Infection							√							
	ICU Patients Managed by Physicians Trained and Certified in Critical Care Medicine							√							
	ICU Physicians Ordinarily Present in Each of These ICUs During Daytime Hours for at Least 8 Hours Per Day, 7 Days Per Week Exclusively							√							
	When ICU Physicians Not Present on-site or Via Telemedicine Within Five Minutes							√							

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".															
Email CarolW@wsha.org with questions or comments															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Hospital Board-Approved Budget that is Adequate to Meet this Commitment							√							
	Clinical Pharmacist Makes Daily Rounds on Patients							√							
	ICU Length of Stay						√								
	ICU Mortality						√								
Coronary Artery Bypass Surgery (CABG)	Pre-Induction HR 80 bpm or Less														
	Pre-Operative Use of Aspirin												√		
	Pre-Operative Glucose ≤ 140 mg/dl	√					√								
	Pre-Operative Beta Blocker for Patient				√								√		
	American College of Cardiology/American Heart Association Appropriateness Class														
	Lowest HCT above 21% During Bypass														
	IMA Graft Used					√		√	√				√	√	

Washington State Hospital Association Patient Safety Measure Crosswalk

Includes National and Washington State Measures


Last updated: September 9, 2010





Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".


Email CarolW@wsha.org with questions or comments

Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Blood Glucose ≤ 200 mg/dl Intraoperatively and Within 48 hrs Postoperatively						√								
	Beta-Blockers Within 24 hrs After Surgery							√					√	√	
	Beta-Blockers 24 Hours Pre-Op							√					√	√	
	Extubation in Less than 12 hrs												√		
	Extubation in Less than 6 Hours														
	Prolonged Intubation				√				√				√		
	Absence of Post-Operative Atrial Fibrillation												√		
	Post-Operative Hemorrhage or Hematoma										√		√		
	Post -Operative Physical or Metabolic Derangement										√				
	Aspirin Prescribed at Discharge							√					√	√	
	Anti-Platelet (clopidogrel) at Discharge				√								√		√

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".															
Email CarolW@wsha.org with questions or comments															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Beta Blockers at Discharge				√			√					√	√	√
	ACE-Inhibitors at Discharge (all patients)				√								√		√
	Statins or Lipid Lowering Drugs for LDL ≥ 100												√		
	Statins or Lipid Lowering Drugs for all Patients							√					√	√	√
	Smoking Cessation Advice/Counseling												√		√
	Post-Operative Stroke								√				√		
	New Requirement for Dialysis								√				√		
	RBC Transfusion Rates								√				√		
	Return to Operating Room								√				√		
	Post-Operative Acute Myocardial Infarction												√		
	Post-Operative Arrhythmia												√		
	Post-Operative Return to Cath Lab												√		
	Cross Clamp time per Surgeon												√		

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Average Cross Clamp Time per surgeon												√		
	Volume by Surgeon												√		
	Procedures Performed by Surgeon												√		
	Readmissions by Surgeon												√		
	Blood Usage by Surgeon												√		
	Complications by Surgeon												√		
	Observed Mortality							√			√		√	√	
	Expected Mortality												√		
	Risk Adjusted Mortality							√	√				√	√	√
	Length of Stay - Pre-Operative												√		
	Participation in STS							√					√	√	
	Length of Stay - Total							√	√				√	√	
	CABG Volume							√			√		√	√	

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Pre-Operative Medications (*Diuretics, Inotropes, Steroids, Digitalis, Beta Blockers, Nitrates IV, Anti-Coagulants, Aspirin)												√		
	Operative Information (First Reop, Multiple Reops, Urgent Status, Emergent Status, Salvage Status, Mean (min) Perfusion Time, Mean (min) Xclamp Time, IMA Used, Off-Pump Procedures)												√		
	Pre-Operative Beta Blocker Use (hospital compare %, time period, mean)												√		
	Operative Mortality (hospital compare, %, time period, mean)												√		
	STS Risk Stratification (hospital compare, %, time period, mean)												√		

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Surgical Re-Exploration in Coronary Artery Bypass Graft Surgery				√								√		
	Evaluate Each Patient Undergoing Elective Surgery for Risk of an Acute Ischemic Perioperative Cardiac Event and Consider Prophylactic Treatment With Beta-Blocker							√						√	
	Reoperation for Bleeding (hospital compare, %, time period, mean)												√		
	Deep Sternal Wound Infection (hospital compare, %, time period, mean)				√								√		
	Post-Operative Permanent Stroke (hospital compare, %, time period, mean)												√		
	Post-Operative Atrial Fibrillation (hospital compare, %, time period, mean)												√		

Washington State Hospital Association Patient Safety Measure Crosswalk

Includes National and Washington State Measures


Last updated: September 9, 2010





Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".


Email CarolW@wsha.org with questions or comments


Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Pre-Operative Intra-Aortic Balloon Pump (hospital compare, %, time period, mean)												√		
	Renal Failure Complication (hospital compare, %, time period, mean)				√				√				√		
	Prolonged Ventilation (hospital compare, %, time period, mean)												√		
	Total Length of Stay (hospital compare, %, time period, mean)												√		
	Mortality Aortic Valve Replacement Plus CABG														
	Risk-Adjusted Operative Mortality for Mitral Valve Replacement/Repair Plus CABG														
	Surgical Volume for Isolated CABG, Valve, and CABG Plus Valve Surgery												√		


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Post-Operative Length of Stay (hospital compare, %, time period, mean)												√		
	VTE Prophylaxis														
	Ventilation Less Than 6 hours								√						
	CABG 14-Day Readmission Rate							√						√	
	Number of CABG Patients >= Age 55, Male, with Chronic Renal Disease, Chronic Liver Disease, COPD, Cardiomyopathy, AMI or Congestive Heart Failure							√						√	
Valve	Volume of Aortic Valve Procedures							√					√	√	
	Valve Volume							√						√	
	Aortic Valve Operative Mortality							√					√	√	
	Unadjusted Aortic Valve Mortality												√		
	Risk-Adjusted Aortic Valve Operative Mortality							√	√				√	√	


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Mean Post-Procedure Length of Stay for Aortic Valve Procedures								√				√		
	Volume of Mitral Valve Procedures							√					√	√	
	Mitral Valve Operative Mortality							√					√	√	
	Unadjusted Mitral Valve Mortality												√		
	Risk-Adjusted Mitral Valve Operative Mortality							√	√				√	√	
	Mean Post-Procedure Length of Stay for Mitral Valve Procedures								√				√		
	Volume of Other Cardiac Procedures												√		
	Other Cardiac Procedures Operative Mortality							√					√	√	
	Unadjusted Other Cardiac Procedures Mortality												√		
	Risk-Adjusted Other Cardiac Procedures Operative Mortality												√		


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Mean Post-Procedure Length of Stay for Other Cardiac Procedures												√		
	New Requirement for Dialysis								√						
	Post-Operative Stroke								√						
	Return to Operating Room								√						
	Ventilation Less Than 6 hours								√						
	Length of Stay Greater than 7 days								√						
Chronic Obstructive Pulmonary Disease	Spirometry Evaluation				√										
	Bronchodilator Therapy				√										
	# of COPD Admissions														
Stroke	Time of Symptom Onset														√
	Stroke Mortality Rate										√				√
	Time from EMS Receiving Call to EMS Arrival														√


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Time Patient Arrived at Emergency Department (ED)														√
	Time of CT/MRI Scan														√
	Time of Thrombolytic Therapy				√										√
	Smoking Cessation Counseling														√
	Lipid Lowering Therapy														√
	Blood Pressure Treatment														√
	Weight and Exercise Management														√
	Diabetes Management														√
	Atrial Fibrillation Management														√
	Stroke Education														√
	LDL Documented														√
	Computed Tomography or Magnetic Resonance Imaging Reports				√										√
	Carotid Imaging Reports				√										
	Deep Vein Thrombosis Prophylaxis				√										√


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Discharged on Antiplatelet Therapy				√										√
	Anticoagulant Therapy Prescribed for Atrial Fibrillation at Discharge				√										√
	Tissue Plasminogen Activator (t-PA) Considered				√										√
	Door-to-IV rt-PA Times														√
	Screening for Dysphagia				√										√
	Consideration of Rehabilitation Services				√										√
	Atherosclerotic Carotid Disease Medical and Surgical Treatment														√
Diabetes Mellitus	Hemoglobin A1c Control in Patient With Type 1 or Type II Diabetes Mellitus				√										√
	Low-Density Lipoprotein Control in Patient With Type I or Type II Diabetes Mellitus				√										√


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy				√										
	Communication with the Physician Managing Ongoing Diabetes Care				√										
	Diabetes, short-term complications														
	Diabetes, long-term complications														
	High Blood Pressure Control in Patient With Type I or Type II Diabetes Mellitus				√										√
	Lower Extremity Amputations Among Patients with Diabetes														
Oncology	Baseline Cytogenetic Testing Performed on Bone Marrow				√										
	Documentation of Iron Stores in Patients Receiving Erythropoietin Therapy				√										


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Treatment with Bisphosphonates				√										
	Baseline Flow Cytometry				√										
	Hormonal Therapy for Stage IC-III, ER/PR Positive Breast Cancer				√										
	Chemotherapy for Stage III Colon Cancer Patients				√										
	Plan for Chemotherapy Documented Before Chemotherapy Administered				√										
	Radiation Therapy Recommended for Invasive Breast Cancer Patients Who Have Undergone Breast Conserving Surgery				√										
	Colon Surgery - 12+ Lymph Nodes Removed									√					
Appendectomy	Most Recent Lab Values									√					
	Current/Recent Medications Used									√					


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Comorbidities									√					
	Time of First Incision									√					
	In-room Close Time									√					
	Surgical Approach									√					
	ASA Class									√					
	Highest Perioperative Blood Glucose									√					
	Highest Blood Glucose Post-Op Day 1									√					
	Highest Blood Glucose Post-Op Day 2									√					
	Lowest Intra-Op Temperature									√					
	First Temp on Arrival to Recovery									√					
	DVT Prophylaxis within 24 hours of incision									√					
	DVT Prophylaxis for in-hospital use After the First 24 Hours									√					
	DVT Prophylaxis ordered at Discharge									√					
	Beta Blocker Administered within 24 Hours pre-op									√					


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Beta Blocker Administered within 24 Hours post-op									√					
	Antibiotics									√					
	Pain Management									√					
	Entereg									√					
	Nasogastric Tube in Place Leaving OR									√					
	Red Blood Cell Transfusion									√					
	Post-Operative Events									√					
	Discharge Disposition									√					
	Reintervention									√					
	Concurrent Abdominal or Pelvic Procedure Performed									√					
	Pre-op Imaging within 24 hours									√					
	ER/Urgent Care Visit within One Week Prior to Operation									√					
	Use of Advanced Testing Among Women, Ages 18-50									√					
	Accuracy of Advanced Testing									√					
	Pathology Results									√					
	Perforated Appendix									√					


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPSS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
Colectomy/ Proctectomy	Most Recent Lab Values									√					
	Current/Recent Medications Used									√					
	Comorbidities									√					
	Time of First Incision									√					
	In-room Close Time									√					
	Surgical Approach									√					
	ASA Class									√					
	Highest Perioperative Blood Glucose									√					
	Highest Blood Glucose Post-Op Day 1									√					
	Highest Blood Glucose Post-Op Day 2									√					
	Lowest Intra-Op Temperature									√					
	First Temp on Arrival to Recovery									√					
	DVT Prophylaxis within 24 hours of incision									√					
	DVT Prophylaxis for in-hospital use After the First 24 Hours									√					
DVT Prophylaxis ordered at Discharge									√						


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPSS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Beta Blocker Administered within 24 Hours pre-op									√					
	Beta Blocker Administered within 24 Hours post-op									√					
	Antibiotics									√					
	Pain Management									√					
	Entereg									√					
	Nasogastric Tube in Place Leaving OR									√					
	Red Blood Cell Transfusion									√					
	Post-Operative Events									√					
	Discharge Disposition									√					
	Reintervention									√					
	Prior Colon or Pelvic Surgery									√					
	Procedure Priority									√					
	Operation Type									√					
	Ostomy									√					
	Anastomosis									√					
	Anastomosis Tested									√					
	Pathology Results									√					
	Number of Lymph Nodes Removed and Studied									√					


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Number of Lymph Nodes Positive for Cancer									√					
	Metastatic Disease Beyond Lymph Nodes									√					
	Margins Free of Cancer														
	T Stage									√					
Bariatrics	Bariatrics Volume							√						√	
	American College of Surgeons (ACS) NSQIP							√						√	
	Number of Surgeons Performing							√						√	
	Surgeon Volume							√						√	
	Surgeon Volume in all Hospitals							√						√	
	Most Recent Lab Values									√					
	Current/Recent Medications Used									√					
	Comorbidities									√					
	Time of First Incision									√					
	In-room Close Time									√					
	Surgical Approach									√					
	ASA Class									√					
	Highest Perioperative Blood Glucose									√					


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Highest Blood Glucose Post-Op Day 1									√					
	Highest Blood Glucose Post-Op Day 2									√					
	Lowest Intra-Op Temperature									√					
	First Temp on Arrival to Recovery									√					
	DVT Prophylaxis within 24 hours of incision									√					
	DVT Prophylaxis for in-hospital use After the First 24 Hours									√					
	DVT Prophylaxis ordered at Discharge									√					
	Beta Blocker Administered within 24 Hours pre-op									√					
	Beta Blocker Administered within 24 Hours post-op									√					
	Antibiotics									√					
	Pain Management									√					
	Entereg									√					
	Nasogastric Tube in Place Leaving OR									√					


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Red Blood Cell Transfusion									√					
	Post-Operative Events									√					
	Discharge Disposition									√					
	Reintervention									√					
	Procedure of Record									√					
	Stomach Divided									√					
	Anastomosis Tested									√					
Pediatric Conditions	Use of Relievers for Inpatient Asthma	√					√								
	Pharmacologic Therapy				√										
	Appropriate Treatment for Children with Upper Respiratory Infection				√										
	Appropriate Testing for Children with Pharyngitis				√										
	Use of Systemic Corticosteroids for Inpatient Asthma	√					√								
	Home Management Plan of Care (HMPC) Document Given to Patient/Caregiver	√					√								
	Neonate Immunization Administration														


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
Inpatient Utilization - General Hospital/ Acute Care	Utilization of Acute Inpatient Services in Total Services, Medicine, Surgery, and Maternity Care														
Frequency of Selected Procedures	Number and Rate of Myringotomy, Tonsillectomy, Nonobstetric Dilation and Curettage, Hysterectomy, Cholecystectomy, Coronary Artery Bypass Graft, Laminectomy/Dissectomy, Angioplasty, Cardiac Catheterization, Prostatectomy, Reduction of Fracture of Femur, Total Hip Replacement, Total Knee Replacement, Partial Excision of Large Intestine, Carotid Endarterectomy														


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
Chemical Dependency	Inpatient Discharges and Average Length of Stay														
Mental Health	Antidepressant Medication During Acute Phase for Patients with New Episode of Major Depression				√										
	Inpatient Discharges and Average Length of Stay														
Ambulatory Surgery Centers	Prophylactic Intravenous Antibiotic Timing														
	Patient Burn														
	Hospital Transfer Admission														
	Patient Fall														
	Wrong Site, Wrong Side, Wrong Patient, Wrong Procedure, Wrong Implant														
Medications	Medication Reconciliation				√		√								
	Computerized Physician Order Entry (CPOE)							√						√	


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	List of "Do Not Use" Abbreviations, Acronyms, Symbols, and Dose Designations that Cannot be Used Throughout the Organization							√							
	Flu Vaccination for Healthcare Workers							√							
	Prophylactic Beta Blockers for Elective Surgery														
	Reduce the Likelihood of Patient Harm Associated With the Use of Anticoagulation Therapy						√								
	Verbal Order Read back						√	√							
	Every Patient on Long-Term Anticoagulants Should be Monitored by a Qualified Health Professional Using a Careful Strategy to Ensure an Appropriate Intensity of Supervision							√							


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Improve the Safety of Using Medications						√								
	Improve the Safety of Using Infusion Pumps						√								
	Standardize Methods for Labeling and Packaging of Medications							√							
	Healthcare Organizations Should Dispense Medications, Including Parenterals, in Unit-Dose, or When Appropriate Unit-of-Use Form, Whenever Possible							√							
	Standardized Abbreviations/Doses						√	√							
	Pharmacist Active in Medication Use							√							
	Identify High Alert Medications and Processes to Minimize Risks Associated With the Use of These Drugs							√							


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPSS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Keep Workspaces Where Medications are Prepared Clean, Orderly, Well lit, and Free of Clutter, Distraction, and Noise							√							
	Standardize the Methods for Labeling, Packaging, and Storing Medications							√							
	Medication Unit Dosing/Unit-of-Use Dispensing							√							
Emergency Care	Administrative communication														
	Patient Information														
	Vital Signs														
	Medication Information														
	Physician Information														
	Nursing Information														
	Procedures and Tests														
	Median Time from ED Arrival to ED Departure for Admitted ED Patients	√					√								


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Median Time from Ed Arrival to Ed Departure for Discharged ED Patients														
	Admit Decision Time to ED Departure Time for Admitted Patients	√					√								
	Door to Provider														
	Left Without Being Seen														
	Severe Sepsis and Septic Shock: Management Bundle														
	Confirmation of Endotracheal Tube Placement														
	Pregnancy Test for Female Abdominal Pain Patients														
	Anticoagulation for Acute Pulmonary Embolus Patients														
	Pediatric Weight in Kilograms														
Imaging	Stenosis Measurement in Carotid Imaging Studies														


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Inappropriate Use of "Probably Benign" Assessment Category in Mammography Screening														
	Reminder System for Mammograms														
	Exposure Time Reported for Procedures using Fluoroscopy														
	Correlation with Existing Imaging Studies for all Patients Undergoing Bone Scintigraphy														
	Patients Undergoing Cervical Spine Radiographs in Trauma who do not Have Neck Pain, Distracting Pain, Neurological Deficits, Reduce Level of Consciousness or Intoxication														
	Use of Contrast: Thorax CT		√												


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPSS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	MRI Lumbar Spine for Low Back Pain		√												
	Mammography Follow-Up Rates		√												
	Abdominal CT		√												
Adverse Events	Artificial Insemination With the Wrong Donor Sperm or Donor Egg					√								√	
	Unintended Retention of a Foreign Object in a Patient After Surgery or Other Procedure					√								√	
	Patient Death or Serious Disability Associated With Patient Elopement					√								√	
	Patient Death or Serious Disability Associated With a Medication Error					√								√	


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Patient Death or Serious Disability Associated With a Hemolytic Reaction Due to the Administration of ABO/HLA-Incompatible Blood or Blood Products					√								√	
	Patient Death or Serious Disability Associated With an Elective Shock or Elective Cardioversion While Being Cared for in a Healthcare Facility					√								√	
	Patient Death or Serious Disability Associated With a Fall While Being Cared for in a Healthcare Facility					√								√	
	Surgery Performed on the Wrong Body Part					√								√	
	Surgery Performed on the Wrong Patient					√								√	
	Wrong Surgical Procedure Performed on a Patient					√								√	


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPSS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Intraoperative or Immediate Post-Operative Death as an ASA Class I Patient					√								√	
	Patient Death or Serious Disability associated With the use of Contaminated Drugs, Devices, or Biologics Provided by the Healthcare Facility					√								√	
	Patient Death or Serious Disability Associated With the Use of Function of a Device in Patient Care, in Which the Device is Used or Functions Other Than as Intended					√								√	
	Patient Death or Serious Disability Associated With Intravascular Air Embolism that Occurs While Being Cared for in a Healthcare Facility					√								√	


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Infant Discharged to the Wrong Person					√								√	
	Patient Suicide, or Attempted Suicide Resulting in Serious Disability, While Being Cared for in a Healthcare Facility					√								√	
	Maternal Death or Serious Disability Associated with Labor or Delivery in a Low-Risk Pregnancy While being Cared for in a Health Care Facility					√								√	
	Patient Death or Serious Disability Associated With Hypoglycemia, the Onset of Which Occurs While the Patient is Being Cared for in a Healthcare Facility					√								√	


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Death or Serious Disability (Kernicterus) Associated With Failure to Identify and Treat Hyperbilirubinemia in Neonates					√								√	
	Stage 3 or 4 Pressure Ulcers Acquired After Admission to a Healthcare Facility					√								√	
	Patient Death or Serious Disability Due to Spinal Manipulative Therapy					√								√	
	Any Incident in Which a Line Designated for Oxygen or Other Gas to be Delivered to a Patient Contains the Wrong Gas or is Contaminated by Toxic Substances					√								√	


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Patient Death or Serious Disability Associated With a Burn Incurred From Any Source While Being Cared for in a Healthcare Facility					√								√	
	Patient Death or Serious Disability Associated With the Use of Restraints or Bedrails while being Cared for in a Healthcare Facility					√								√	
	Any Instance for Care Ordered by or Provided by Someone Impersonating a Physician, Nurse, Pharmacist, or Other Licensed Healthcare Provider					√								√	
	Abduction of a Patient of Any Age					√								√	
	Sexual Assault on a Patient Within or on the Grounds of the Healthcare Facility					√								√	


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Death or Significant Injury of a Patient or Staff Member Resulting From a Physician Assault (i.e., Battery) that Occurs Within or on the Grounds of the Healthcare Facility					√								√	
Patient Perception	Communication with Doctors (composite)			√										√	
	Communication with Nurses (composite)			√										√	
	Responsiveness of Hospital Staff (composite)			√										√	
	Cleanliness and Quietness of Hospital (composite)			√										√	
	Pain Control (composite)			√	√									√	
	Communication about Medicines (composite)			√										√	
	Discharge Information (composite)			√										√	
	Overall Rating of Hospital Care			√										√	


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
Email CarolW@wsha.org with questions or comments															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Overall Recommendation			√										√	
Hospital Based Inpatient Psychiatric Services	Admission Screening for Violence Risk, Substance Use, Psychological Trauma History and Patient Strengths completed						√								
	Hours of physical restraint use						√								
	The total number of hours that all patients admitted to a hospital-based inpatient psychiatric setting were held in seclusion.						√								
	Patients discharged on multiple antipsychotic medications						√								


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Patients discharged on multiple antipsychotic medications with appropriate justification						√								
	Patients discharged from a hospital-based inpatient psychiatric setting with a continuing care plan created						√								
	Post discharge continuing care plan transmitted to next level of care provider upon discharge						√								
Nursing Sensitive	Pressure ulcer prevalence						√								
	Patient Fall Rate														
	Falls with Injury														
	Restraint Prevalence						√								
	Skill Mix														
	Practice Environment Scale														
	Voluntary Turnover														


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Nursing Hours per patient day														
Additional Quality Measures	The Organization Selects a Suitable Method that Enables Health Care Staff Members to Directly Request Additional Assistance From a Specially Trained Individual(s) When the Patient's Condition Appears to be Worsening						√								
	Ventilator Associated Pneumonia														
	Improve Recognition and Response to Changes in a Patient's Condition						√								
	Improve Accuracy of Patient Identification						√								
	Improve Effectiveness of Communications Among Caregivers						√								
	Reduce the Risk of Health Care-Associated Infections						√								


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	MRSA Reduction														
	Boards on Board														
	Reduce the Risk of Patient Harm from Patient Falls				√		√								
	Patients Clearly Informed of Risk for Surgery							√							
	Implement Process to Prevent Wrong Site/Patient Surgery							√							
	Create Safety Culture							√							
	Ask Each Patient or Legal Surrogate to "Teach Back" Key Information Procedures, Treatments, or Consent							√							
	Following Serious, Unanticipated Outcomes, the Patient and, as Appropriate Family Should Receive Communication About the Event							√							


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Implement Critical Components of a Well Designed Nursing Workforce							√							
	Ensure That Non-Nursing Direct Care Staffing Levels are Adequate, Staff is Competent and Have had Orientation, Training, and Education to Perform Assigned Direct Care Duties							√							
	Leadership Structures and Systems							√							
	Culture Measurement for Performance							√							
	Teamwork Training and Skill Building							√							
	Identification and Mitigation of Risks and Hazards							√							
	No Patient Care Summaries from Memory							√							


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Ensure that Care Information is Transmitted and Documented in a Timely and Clearly Understandable Form to Patients and Patients' Healthcare Providers Within and Between Care Settings							√							
	Patient Read Back of Informed Consent							√							
	Document Resuscitation/End of Life Directives				√			√							
	Discharge Plan must be Prepared for Each Patient at the Time of Hospital Discharge, and a Concise Discharge Summary Must be Prepared for and Relayed to Caregivers With Confirmation of Receipt							√							


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Prevention of Mislabeled Radiographs							√							
	Pressure Ulcer Prevention							√							
	Deep Vein Thrombosis/VET-Risk Assessment & Prevention							√							
	Anticoagulation Services							√							
	Aspiration Prevention							√							
	Central Venous Line Sepsis Prevention							√							
	Contrast-Induced Renal Failure Protocol							√							
	Malnutrition Prevention							√							
	Tourniquet-Ischemia/Thrombosis Prevention							√							
	Comply With Current Centers for Disease Control and Prevention Hand Hygiene Guidelines							√							


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Comply With Current World Health Organization (WHO) Hand Hygiene Guidelines or Centers for Disease Control and Prevention (CDC) Hand Hygiene Guidelines						√								
	Implement the Universal Protocol for Preventing Wrong Site, Wrong Procedure, Wrong Person Surgery for all Invasive Procedures.							√							


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	For High-Risk Elective Cardiac Procedures of Other Specified Care, Patients Should be Clearly Informed of Likely Reduced Risk of Adverse Outcome at Treatment Facilities that Participate in clinical Outcomes Registries and Minimize the Number of Surgeons Performing Procedures with Strongest Volume-outcome Relationship							√							
	Carotid Endarterectomy Volume										√				
	Carotid Endarterectomy Mortality Rate										√				
	Craniotomy Mortality Rate										√				
	Hip Replacement Mortality Rate										√				
	Gastrointestinal (GI) Mortality Rate										√				


Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Laparoscopic Cholecystectomy Rate										√				
	Incidental Appendectomy Among the Elderly Rate										√				
	Bilateral Cardiac Catheterization Rate										√				
	Pancreatic Resection							√							
	Esophagectomy							√							
	AHRQ Culture Survey	√													
	Screening for Future Fall Risk				√										
	Ensure that Written Documentation of the Patient's Preferences for Life-Sustaining Treatments is Prominently Displayed in his or her chart.							√							

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	All Patients in General Intensive Care Units (Both Adult and Pediatric) Should be Managed by Physicians Having Specific Training and Certification in Critical Care Medicine ("Critical Care Certified")							√							
	Utilize Validated Protocols to Evaluate Patients Who are at Risk for Contrast Media-Induced Renal Failure, and Utilize a Clinically Appropriate Method for Reducing Risk of Renal Injury Based on the Patient's Kidney Function Evaluation							√							

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".															
Email CarolW@wsha.org with questions or comments															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Evaluate Each Patient Upon Admission, and Regularly Thereafter, for the Risk of Developing Venous thromboembolism/Deep Vein Thrombosis. Utilize Clinically Appropriate, Evidence Based Methods of Thromboprophylaxis							√							
	Adverse Effects														
	Evaluate Each Patient Upon Admission, and Regularly Thereafter, for the Risk of Developing Pressure Ulcers							√							
	# of CHF Admissions														
	# of Hypertension Admissions														
	# of Admissions for UTI														
	# of Admissions for Dehydration														
	Angina Without Procedure														
	Intensivists in the ICU													√	

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Mortality or Complications within 30 days of lower extremity bypass														
	Hip Fracture Mortality Rate														
	Mortality for selected surgical procedures (composite)	√					√				√				
	Mortality for selected medical conditions (composite)	√					√				√				
Patient Safety Indicators	Complications of Anesthesia										√				
	Death in Low Mortality DRGs	√					√				√				
	Decubitus Ulcer										√				
	Failure to Rescue										√				
	Foreign Body Left in During Procedure										√				
	Iatrogenic Pneumothorax	√					√				√				
	Infection Due to Medical Care										√				
	Post-Operative Hip Fracture										√				

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
<i>Email CarolW@wsha.org with questions or comments</i>															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPSS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Post-Operative Hemorrhage or Hematoma										√				
	Post-Operative Physiologic Metabolic Derangement										√				
	Post-Operative Respiratory Failure										√				
	Post-Operative Pulmonary Embolism (PE) or Deep Vein Thrombosis (DVT)									√	√				
	Post-Operative Sepsis										√				
	Post-Operative Wound Dehiscence	√					√			√	√				
	Accidental Puncture/Laceration	√					√				√				
	Complication/patient safety for selected indicators (composite)	√					√				√				
	Transfusion Reaction										√				
Present on Admission	Object left in during surgery	√													
	Air embolism	√													
	Blood Incompatibility	√													
	Catheter-associated urinary tract infections	√													
	Decubitus ulcers	√						√							

Washington State Hospital Association Patient Safety Measure Crosswalk															
Includes National and Washington State Measures															
Last updated: September 9, 2010															
															
<i>Note: Please refer to the footnotes for more details. Organizations may utilize different populations, measure definitions, and transmission process for the "same measure".</i>															
Email CarolW@wsha.org with questions or comments															
Quality Goal or Clinical Area	Indicators	CMS IPPS ¹	CMS OPPS ²	HCAHPS ³	Physician Quality Reporting Initiative ⁴	DOH Adverse Events ⁵	Joint Commission ⁶	Leapfrog ⁷	COAP ⁸	SCOAP ⁹	AHRQ ¹⁰	ACC-NCDR ¹¹	Society of Thoracic Surgeons ¹²	Puget Sound Health Alliance ¹³	Get With the Guidelines ¹⁴
	Vascular catheter-associated infections	√													
	Mediastinitis after coronary artery bypass graft	√													
	Hospital acquired injuries such as: fractures, dislocations, intracranial injury, crushing injury and burns	√						√							
Note:															
1. CMS IPPS (Centers for Medicare and Medicaid Services Inpatient Prospective Payment System)															
2. CMS OPPS (Centers for Medicare and Medicaid Services Outpatient Prospective Payment System)															
3. HCAHPS (Hospital Consumer Assessment of Healthcare Providers and Systems)															
4. PQRI (Physician Quality Reporting Initiative)															
5. DOH (Department of Health Adverse Reporting)															
6. Joint Commission															
7. Leapfrog (The Leapfrog Group for Patient Safety)															
8. COAP (Clinical Outcomes Assessment Project)															
9. SCOAP (Surgical Clinical Outcomes Assessment Project)															
10. AHRQ (Agency for Healthcare Research and Quality)															
11. ACC-NCDR (American College of Cardiology National Cardiovascular Data Registry Cath Lab)															
12. STS (Society of Thoracic Surgeons)															
13. PSHA (Puget Sound Health Alliance)															
14. GWTG (Get with the Guidelines) American Heart Association															