Johns Hopkins

Fall Risk Assessment Tool

If patient has any of the following conditions, check the box and apply Fall Risk interventions as indicated.

High Fall Risk - Implement High Fall Risk interventions per protocol

- ☐ History of more than one fall within 6 months before admission
- ☐ Patient has experienced a fall during this hospitalization
- ☐ Patient is deemed high fall-risk per protocol (e.g., seizure precautions)

Low Fall Risk - Implement Low Fall Risk interventions per protocol

- ☐ Complete paralysis or completely immobilized

Do not continue with Fall Risk Score Calculation if any of the above conditions are checked.

FALL RISK SCORE CALCULATION – Select the appropriate option in each category. Add all points to calculate Fall Risk Score. (If no option is selected, score for category is 0)	**Points**
Age *(single-select)* ☐ 60 - 69 years (1 point) ☐ 70 -79 years (2 points) ☐ greater than or equal to 80 years (3 points)	
Fall History *(single-select)* ☐ One fall within 6 months before admission (5 points)	
Elimination, Bowel and Urine *(single-select)* ☐ Incontinence (2 points) ☐ Urgency or frequency (2 points) ☐ Urgency/frequency and incontinence (4 points)	
Medications: Includes PCA/opiates, anticonvulsants, anti-hypertensives, diuretics, hypnotics, laxatives, sedatives, and psychotropics *(single-select)* ☐ On 1 high fall risk drug (3 points) ☐ On 2 or more high fall risk drugs (5 points) ☐ Sedated procedure within past 24 hours (7 points)	
Patient Care Equipment: Any equipment that tethers patient (e.g., IV infusion, chest tube, indwelling catheter, SCDs, etc.) *(single-select)* ☐ One present (1 point) ☐ Two present (2 points) ☐ 3 or more present (3 points)	
Mobility *(multi-select; choose all that apply and add points together)* ☐ Requires assistance or supervision for mobility, transfer, or ambulation (2 points) ☐ Unsteady gait (2 points) ☐ Visual or auditory impairment affecting mobility (2 points)	
Cognition *(multi-select; choose all that apply and add points together)* ☐ Altered awareness of immediate physical environment (1 point) ☐ Impulsive (2 points) ☐ Lack of understanding of one's physical and cognitive limitations (4 points)	
Total Fall Risk Score (Sum of all points per category)	
SCORING: 6-13 Total Points = Moderate Fall Risk, >13 Total Points = High Fall Risk	

A license is required for use of this tool. To purchase, contact ijhn@jhmi.edu
Copyright ©2007 by The Johns Hopkins Health System Corporation.

JOHNS HOPKINS MEDICINE